| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|-------------|-----|------------|
| 1 | BRS | L17 | 158 | (gap or space or opening) near8 ((pixel or image) adj sensor) same (substrate or wafer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 16:17 |
| 2 | BRS | L18 | 44 | 17 and ("cross talk" or interference or noise) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 16:26 |
| 3 | BRS | L19 | 114 | 17 not 18 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 16:34 |
| 4 | BRS | L20 | 2894 | (gap or opening or space) with "pixel electrode" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 16:37 |
| 5 | BRS | L21 | 2620 | 20 and (substrate or wafer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 16:37 |

| | Type | L # | Hits | Search Text | DBs |
|---|------|-----|------|-------------|-----|
| 1 | IS&R | L1 | 848 | (257/458).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | IS&R | L2 | 203 | (257/444).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | IS&R | L3 | 645 | (257/459).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | IS&R | L4 | 384 | (257/656).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | IS&R | L5 | 408 | (438/48).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Type | L # | Hits | Search Text | DBs |
|---|------|-----|------|-------------|-----|
| 6 | IS&R | L6 | 207 | (438/325).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |